





FUNKY_S ELECTRIC

height 1455 mm, lenght 600 mm. Ivory finish (cod. 02).

Technical features:

- electric steel towel warmer radiator
- horizontal elements featuring with a 23 mm diameter
- side round manifolds with a 30 mm diameter
- complete with thermal liquid
- 1.200 mm long power cable, SCHUKO plug

Prices include:

- 4 adjustable wall fixing brackets in the same color of the radiator

① **For the possibility of requesting custom models see page 590**




Learn about the new European EcoDesign regulation



Finishes available	Surcharge
Standard White	-
IRSAP finished	+25%
Other RAL colors	+40% following feasibility study

Finishing codes see page 604.

Available connection



right side manifold

ELECTRIC HEATERS AVAILABLE

ELECTRIC HEATING ELEMENT WITH INTEGRATED BLUETOOTH MODULE (TYPE Y)



Electronic control with integrated Bluetooth module.
Remote programming (IRSAP APP NOW).



Temperature management and programming in close proximity to electronic control. Class II. IP 24 degree of protection.

The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.



ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



Plug-in electric heater via fastom with electronic control to regulate room temperature, programmable weekly.

Insulation class II.

IP44 degree of protection.

The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.



ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



Control your radiator remotely using the IRSAP NOW app available on:



Compatible with the systems:




WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24.

The electronics are available in the same colour as the radiator with a transparent cable.

See the online guides on:
support.smart@irsap.com






L mm	H mm	X mm
500	928	355
500	1170	597
600	1455	882
600	1842	1269




FUNKY_S ELECTRIC WITH INTEGRATED BLUETOOTH MODULE (Y)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
928 - 18 rails - 2 espaces	YRS050 Y 01 IR 01 NNN	50	928	500	12,3	400
1170 - 22 rails - 3 espaces	YRM050 Y 01 IR 01 NNN	50	1170	500	15,6	500
1455 - 27 rails - 4 espaces	YRL060 Y 01 IR 01 NNN	50	1455	600	21,9	750
1842 - 36 rails - 4 espaces	YRG060 Y 01 IR 01 NNN	50	1842	600	28,2	1000

FUNKY_S ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
928 - 18 rails - 2 espaces	YRS050 H 01 IR 01 NNN	50	928	500	12,3	400
1170 - 22 rails - 3 espaces	YRM050 H 01 IR 01 NNN	50	1170	500	15,6	500
1455 - 27 rails - 4 espaces	YRL060 H 01 IR 01 NNN	50	1455	600	21,9	750
1842 - 36 rails - 4 espaces	YRG060 H 01 IR 01 NNN	50	1842	600	28,2	1000

FUNKY_S ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
928 - 18 rails - 2 espaces	YRS050 E 01 IR 01 NNN	50	928	500	12,9	400
1170 - 22 rails - 3 espaces	YRM050 E 01 IR 01 NNN	50	1170	500	15,6	500
1455 - 27 rails - 4 espaces	YRL060 E 01 IR 01 NNN	50	1455	600	22,0	750
1842 - 36 rails - 4 espaces	YRG060 E 01 IR 01 NNN	50	1842	600	28,3	1000

The radiator will be supplied with the resistance always mounted on the inner collector.

Key Codes

Width	Standard White colour code - for different colour codes see the colors page
Height	Electric resistance type
Packing code	

YRS050 Y 01 IR 01 NNN