






GET UP ELECTRIC

height 1499 mm, lenght 550 mm. Ice finish (cod. 3P).

Technical features:

- electric steel towel warmer radiator
- 23 mm diameter horizontal round bar heating elements
- 30 mm diameter round lateral manifolds
- complete with thermal liquid
- 1.200 mm long power cable (lower right side cable outlet) SCHUKO plug
- maximum capacity of the towel rails: 7 kg

Prices include:

- 3 adjustable wall fixing brackets in the same color of the radiator

Finishes available	Surcharge
Standard White	-
IRSAP finished	+25%
Other RAL colors	+40% following feasibility study

Finishing codes see page 604.



ELECTRIC HEATERS AVAILABLE

ELECTRIC HEATING ELEMENT WITH INTEGRATED BLUETOOTH MODULE (TYPE Y)




Electronic control with integrated Bluetooth module.
Remote programming (IRSAP APP NOW).



Temperature management and programming in close proximity to electronic control. Class II. IP 24 degree of protection.
The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.




ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



Plug-in electric heater via fastom with electronic control to regulate room temperature, programmable weekly.
Insulation class II.
IP44 degree of protection.
The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.



ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



Control your radiator remotely using the IRSAP NOW app available on:




Compatible with the systems:




WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24.
The electronics are available in the same colour as the radiator with a transparent cable.

See the online guides on:
support.smart@irsap.com






GET UP ELECTRIC WITH INTEGRATED BLUETOOTH MODULE (Y)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
1076 - 20 rails - 1 espace	GUM055 Y 01 IR 01 NNN	1076	550	550	22,1	500
1499 - 25 rails - 2 espaces	GUL055 Y 01 IR 01 NNN	1499	550	550	29,3	750

GET UP ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
1076 - 20 rails - 1 espace	GUM055 H 01 IR 01 NNN	1076	550	550	22,1	500
1499 - 25 rails - 2 espaces	GUL055 H 01 IR 01 NNN	1499	550	550	29,3	750

GET UP ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
1076 - 20 rails - 1 espace	GUM055 E 01 IR 01 NNN	1076	550	550	22,1	500
1499 - 25 rails - 2 espaces	GUL055 E 01 IR 01 NNN	1499	550	550	29,3	750

Key Codes

Width	Standard White colour code - for different colour codes see the colors page	Packing code
Height	Electric resistance type	

GUM055 Y 01 IR 01 NNN