





VELA ELECTRIC

height 1820 mm, length 560 mm. Agave finish (cod. 9N).

Technical features:

- electric steel towel warmer radiator
- horizontal elements with oval tubes 50x20 mm diameter
- side manifolds with a 40x30 mm semi-oval section
- complete with thermal liquid
- 1.200 mm long power cable, SCHUKO plug

Prices include:

- 3 chela wall brackets
- the model with WiFi electronic control, type E, includes the electronics in the same finish as the radiator

Finishes available	Surcharge
Standard White	-
IRSAP finished	+25%
Other RAL colors	+40% following feasibility study

Finishing codes see page 604.

❗ For the possibility of requesting custom models see page 590



Learn about the new European EcoDesign regulation



ELECTRIC HEATERS AVAILABLE

ELECTRIC HEATING ELEMENT WITH ON/OFF SWITCH (TYPE I)



Electric heating element with built-in ON/OFF switch. Insulation class: I. Protection index: IP54. The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.

ELECTRIC HEATING ELEMENT WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (TYPE K)



Electric heating element with 4-pole connector with electronic thermostat for regulating the temperature of the internal fluid. Insulation class: I. Protection index: IP44. The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.

ELECTRIC HEATING ELEMENT WITH INTEGRATED BLUETOOTH MODULE (TYPE Y)



Electronic control with integrated Bluetooth module. Remote programming (IRSAP APP NOW).



Temperature management and programming in close proximity to electronic control. Class II. IP 24 degree of protection. The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.



ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



Plug-in electric heater via fastom with electronic control to regulate room temperature, programmable weekly. Insulation class II. IP44 degree of protection. The electronics are supplied in Standard White (cod. 01) with white cable for white radiators; chrome with grey cable for coloured radiators.



ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same colour as the radiator with a transparent cable.


Control your radiator remotely using the IRSAP NOW app available on



Compatible with the systems:




VELA ELECTRIC WITH SWITCH (I)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
700 - 9 rails - 1 espace	VES056 I 01 IR 01 NNN	30	700	560	12,4	400
1120 - 14 rails - 2 espaces	VEM056 I 01 IR 01 NNN	30	1120	560	19,1	400
1610 - 20 rails - 3 espaces	VELO56 I 01 IR 01 NNN	30	1610	560	27,0	700
1820 - 23 rails - 3 espaces	VEE056 I 01 IR 01 NNN	30	1820	560	30,4	1000


available while stocks last

VELA ELECTRIC WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (K)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
700 - 9 rails - 1 espace	VES056 K 01 IR 01 NNN	30	700	560	12,2	400
1120 - 14 rails - 2 espaces	VEM056 K 01 IR 01 NNN	30	1120	560	18,9	400
1610 - 20 rails - 3 espaces	VELO56 K 01 IR 01 NNN	30	1610	560	27,0	700
1820 - 23 rails - 3 espaces	VEE056 K 01 IR 01 NNN	30	1820	560	30,4	1000

available while stocks last




VELA ELECTRIC WITH INTEGRATED BLUETOOTH MODULE (Y)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
N 700 - 9 rails - 1 espace	VES056 Y 01 IR 01 NNN	30	700	560	12,6	400
N 1120 - 14 rails - 2 espaces	VEM056 Y 01 IR 01 NNN	30	1120	560	19,3	400
N 1610 - 20 rails - 3 espaces	VEL056 Y 01 IR 01 NNN	30	1610	560	27,3	700
N 1820 - 23 rails - 3 espaces	VEE056 Y 01 IR 01 NNN	30	1820	560	30,8	1000

VELA ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
700 - 9 rails - 1 espace	VES056 H 01 IR 01 NNN	30	700	560	12,6	400
1120 - 14 rails - 2 espaces	VEM056 H 01 IR 01 NNN	30	1120	560	19,3	400
1610 - 20 rails - 3 espaces	VEL056 H 01 IR 01 NNN	30	1610	560	27,3	700
1820 - 23 rails - 3 espaces	VEE056 H 01 IR 01 NNN	30	1820	560	30,8	1000

VELA ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
700 - 9 rails - 1 espace	VES056 E 01 IR 01 NNN	30	700	560	12,9	400
1120 - 14 rails - 2 espaces	VEM056 E 01 IR 01 NNN	30	1120	560	19,7	400
1610 - 20 rails - 3 espaces	VEL056 E 01 IR 01 NNN	30	1610	560	27,7	700
1820 - 23 rails - 3 espaces	VEE056 E 01 IR 01 NNN	30	1820	560	31,1	1000

Key Codes

Width	Standard White colour code - for different colour codes see the colors page								
Height	Electric resistance type	Packing code							
VE	S	056	I	01	IR	01	NNN		